Form Grid

Definition Form Grid extends the default functionalities of a typical grid element. Unlike the generic grid element that only accepts standard text field for its inputs, the Enhanced Grid Form Element captures data by making reference to another form element. Hence, one can take full advantage of what a typical form element has to offer, e.g., validation and formatting. New Feature New feature added in Joget Workflow v6. Paging Delete Options Multiple Lines Format Type

				s Column			
Expense C	laim Details						
lef		AUTO					
ïtle *							
Submitted By		Admin Adı	min				
-4 Th 4:4	hl-l i th-i			nc			
ote: The title s	should appear in this	format, e	xampie, Jan	06			
assword							
assword							
assword							
	:m(s)						
assword	∍m(s)		Drag Thi	s Column			
	em(s)	ory	Drag Thi	s Column Purpose		A	mount
penses Ite		ory	Drag Thi			A	mount
penses Ite		ory	Drag This				mount
penses Ite	Categ		Drag Thi				mount
penses Ite				Purpose	Drag 1	A was a same a s	
penses Ite	Categ				Drag 1		mount Calculation Field
penses Ite	Categ			Purpose	Drag 1		

Figure 1: Screenshot of Form Grid in sample HR Expenses Claim app




Figure 2: Screenshot of Form Grid in sample HR Expenses Claim app - Add New Row




Figure 3: Form Grid Properties


Name	Description
ID	Element ID (By declaring as "entries", a corresponding database table column "c_entries" will be created)
Label	Element Label to be displayed to end user.
Form	Target form to reference to.

Name	Description					
Value	Field ID of the form element to reference to the target form.					
	Example:					
	In "HR Expense Claim Entry" form, there are Form Elements with the ID "date", "category", "purpose", and "formattedAmount".					
Label	Column Label.					
Format Type	If you would like to format the returned value, you may make use of the format type.					
	Default choice: Text.					
	Available Format Types					
	Text - formats the value as text HTML - outputs data as HTML					
	Multiple lines text - maintains the spacing formatting for multiple lines text, such as TextArea.					
	Decimal - formats as decimal. Number of decimals is expected in the "Format" field.					
	Date - formats as date. Original Date and New Date formats are expected in the "Format" field.					
	Format: (original format) (new format)					
	Example of usage:					
	Original value: 5/23/2012					
	Expected value: 2012/5/23					
	Format : M/d/y y/M/d					
	Note: Please refer to Java SimpleDateFormat for date format.					
	• File - Show the value as a link to the attachment. Form Def ID is expected in the "Format" field.					
	Expected Form Def ID					
	Specify the Form Def ID that contains the actual File Upload form element.					
	Image - Show the value as a thumbnail of the attachment. Form Def ID is expected in the "Format" field.					
	Expected Form Def ID					
	Specify the Form Def ID that contains the actual Image Upload / File Upload form element.					
	Options - Show the label of multiple choice element given the value given. Form Def ID is expected in the "Format" field.					
	Expected Form Def ID					
	Specify the Form Def ID that contains the actual Select Box / Radio / Check Box form element.					
Format	Depending on your chosen Format Type, additional argument may be entered here.					
Width	Column width in characters.					
	Sample					
	200px					

UI		
Edit Form Grid > UI > Validation & Data Binder > Store Binder	r (Multirow Form Binder) > Load Binder (Multirow Form Binder)	
Sorting		
Enable Sorting Feature	€	
Field ID for Sorting * Field ID is used to keep sorting data. Required when enable sorting feature.	•	
Form		
Form Submit Button Label (Normal Mode)		
Tomi Subini Button Eaber (Normal Mode)		
Form Submit Button Label (Readonly Mode)		
Display field as Label when readonly?		
Popup Dialog Height	500	
Popup Dialog Width	900	
Grid		
Readonly		
Disable Add Feature		
Disable Delete Feature		
Delete confirmation message	Delete row?	
Show Row Numbering?		
Paging Size	20	

Figure 4: Form Grid Properties - UI

Name	Description			
Enable Sorting Feature	Determines if ordering of rows is to be enforced.			
Field ID for Sorting	Field to keep the ordering sequence; must correspond with a field id in the target form.			
Form Submit Button Label (Normal Mode)	Label of the Submit button in normal mode.			
Form Submit Button Label (Readonly Mode)	Label of the Submit button in read-only mode.			
Display field as Label when readonly?	Displays the value of the element as plain text when element is set to "Readonly".			
Popup Dialog Height	Specifies the height, in characters.			
	Sample 200px			






Figure 5: Form Grid Properties - Validation & Data Binder

Name Description

Validator	Attach a Validator plugin to validate the input value. Please see Form Validator.					
	When will validation takes place? Validation will takes place whenever form is submitted except when it is submitted as "Save as Draft".					
Unique Column	Column/Field ID to identify record ID.					
Min Number of Row Validation (Integer)	Min Number of Row Validation (Integer)					
Max Number of Row Validation (Integer)	Max Number of Row Validation (Integer)					
Error Message	Error message to be shown when row requirements set above is not met.					
Load Binder	Option by default. Grid data will be saved/loaded in JSON format in its defined database cell.					
	In this example, Multirow Form Binder is used to load data from other form. See list of available Form Binder.					
Store Binder	Option by default. Grid data will be saved/loaded in JSON format in its defined database cell.					
	In this example, Multirow Form Binder is used to load data from other form. See list of available Form Binder.					
Delete Associated Grid Data?	If the popup form have grid element(s), this option will delete the inner grid data.					
	Caution These 3 options: (Delete Associated Grid Data, Delete Associated Child Form Data, Delete Files), in combination, does apply to nested grid/child elements. These options traverses the entire form tree. Upon encountering a 'false' condition, it will move on to the next grid/child element. Example: Consider that the popup form has a form grid, form grid has a subform, subform has a file upload element with abc.pdf. If all options are checked, abc.pdf will be deleted. If all except ONE of the option is checked, abc.pdf will NOT be deleted.					
Delete Associated Child Form Data?	If the popup form have child element(s), this option will delete the child data.					
	Caution					
	These 3 options: (Delete Associated Grid Data, Delete Associated Child Form Data, Delete Files), in combination, does apply to nested grid/child elements.					
Delete Files?	If the popup form contains file upload element, this option will delete the actual uploaded file(s).					
	Caution					
	These 3 options: (Delete Associated Grid Data, Delete Associated Child Form Data, Delete Files), in combination, does apply to nested grid/child elements.					
Abort Related Running Processes?	If there are process instances related to the deleted row, this options will abort those process instances.					

Learning More

Download a tutorial app on Grids from Joget Workflow Marketplace to learn more.

Related Tutorials

- File Upload in Grid
- Duplicate Form Grid