

User Notification Plugin

- [Introduction](#)
- [User Notification Properties](#)
 - [Configure User Notification](#)
 - [Notification Link](#)
 - [SMTP Settings](#)
 - [Web Push Settings](#)
 - [Attachments](#)
 - [Advanced](#)
- [Download Demo App](#)



Introduction

User Notification is a [Plugin Default Properties](#) to automatically send assignees email notification on every new activity tasks. Plugin Default Properties allows you to pre-select and set properties for plugins that you intend to use in your application.

User Notification is implemented at the application level and allows for greater customization of the notification content. A one-time setup process, this plugin will be called every time a new activity task is created. If you use User Notification plugin, you do not need to create the tools for Emails in your process design.

User Notification Properties

Configure User Notification

Name	Description	
CC	<p>Fully qualified address is expected.</p> <p>Multiple values can be accepted by separating them with semicolons.</p> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p> CC: lets you send a copy of a message to someone who's interested, but is not the primary recipient.</p> </div>	 <p>Figure 1: User Notification Properties</p>
Subject	Generic email subject to be used across all newly created assignment.	
Email Message	<p>Generic email message to be used across all newly created assignment.</p> <p>You can use the special hash variable #assignmentLink# to anchor the task hyperlink at a specified line in your email message.</p> <p>By default, the task hyperlink will appear at the bottom of the email message.</p>	
HTML Content?	Click checkbox to enable HTML content in email message, especially if you provide the "Link Name" as a hyperlink.	

Notification Link

Name	Description	


<p>URL</p>	<p>URL</p> <div data-bbox="272 184 1063 424" style="border: 1px solid #ccc; padding: 10px;"> <p>Sample</p> <p>Include a link that points to a Userview Inbox.</p> <p><code>http://localhost:8080/jw/web/userview/leave_request_app/leave_userview//inbox</code></p> <p>In addition, you will need to include the extra parameter below in order for the assignment to show up.</p> <p><code>http://localhost:8080/jw/web/userview/leave_request_app/leave_userview//inbox?_mode=assignment</code></p> </div>	
<p>Link Name</p>	<p>Link label to open the assignment. Click the "HTML Content" checkbox to enable HTML content in email message if you provide the "Link Name" as a hyperlink.</p>	
<p>Parameter Name</p>	<p>Activity Instance ID will be passed to this parameter.</p> <div data-bbox="272 604 1063 766" style="border: 1px solid #ccc; padding: 10px;"> <p>Sample</p> <p>If you are pointing to an Inbox element in URL attribute above, then you should set this to:-</p> <p><code>activityId</code></p> </div>	
<p>Parameter Passover Method</p>	<ul style="list-style-type: none"> • None • As URL Request Parameter • Append to URL <div data-bbox="272 976 1063 1138" style="border: 1px solid #ccc; padding: 10px;"> <p>Sample</p> <p>If you are pointing to an Inbox element in URL attribute above, then you should set this to:-</p> <p>As URL Request Parameter</p> </div>	

Figure 2: User Notification Properties - Notification Link

SMTP Settings





Name	Description	
Base URL	Specify the server context path.	
From	<p>Sender email address to send email to the assignee and/or CC.</p> <div data-bbox="259 1423 701 1537" style="border: 1px solid #ccc; padding: 5px;"> <p>Example</p> <p><code>no-reply@your-company-name.com</code></p> </div>	
SMTP Host	<p>Email Server SMTP Host</p> <div data-bbox="259 1621 701 1734" style="border: 1px solid #ccc; padding: 5px;"> <p>Example</p> <p><code>smtp.gmail.com</code></p> </div>	
SMTP Port	<p>Email Server SMTP Port</p> <div data-bbox="259 1820 701 1906" style="border: 1px solid #ccc; padding: 5px;"> <p>Example</p> <p>Typically, port 465 for SSL security option and 587 for TLS</p> </div>	

Figure 3: User Notification Properties - SMTP Settings


Security	<ul style="list-style-type: none"> • None • TLS • SSL
SMTP Username	Email Server Account Username <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;">  On Google email account, use your full email address. </div>
SMTP Password	Email Server Account Password <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;">  Password submitted will be encrypted for security reason. </div>

Web Push Settings

Name	Description	Screens (Click to view)
Disable Web Push Notifications	Click the checkbox to disable mobile web notification.	

Attachments

If the form you used for the workflow process contains an image or file attachment, you can configure these properties to include the attachments in the email.

Name	Description	Screens (Click to view)
Form	Select the Form containing the file or image attachment.	
Form Upload Fields	Select the field ids containing the file or image attachments. You can add more than one attachment field.	
Files	Configure here if you want to attach specific files file the Joget server, via "system path" or "URL".	

Advanced

Name	Description	Screens (Click to view)
Activity Exclusion	Include activity that you do not wish to notify its assignee.	<div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 10px;"> <p>Advanced</p> <p>Configure User Notification > Email > Notification List > Advanced</p> <p>Activity Exclusion</p> <ul style="list-style-type: none"> L:Expense Approval Process (process1) - Approve Claim (approve_claim) L:Expense Approval Process (process1) - Verify Claim (verify_claim) L:Expense Approval Process (process1) - Resubmit Claim (resubmit_claim) L:Expense Approval Process (process1) - Edit Claim (edit_claim) </div> <p>Figure 4: User Notification Properties - Advanced</p>

Download Demo App



APP_user...x_kb.jwa