

Export Form Email Tool

Export Form Email Tool allows you to send out an email with a form attached in PDF format. Apart from configuring the normal email plugin, the only other configuration you will need to do would be on the selection of the form to be attached and the desired file name for the attachment.

Configure Export Email Tool

Configure Export Email Tool > Email - SMTP Settings > Email Info > Advanced

Form *

File Name *

Hide fields without value

Show unselected options for multi options field

Figure 1: Export Form Email Tool Properties

Name	Description
Form	Form to be used to generate pdf file. Record row will be matched with current process instance ID.
File Name	Intended pdf file name to appear in Email attachment.
Hide fields without value	When checked, any field without value keyed in will not appear in the generated pdf file.
Show unselected options for multi options field	When checked, unchecked/unselected options will appear in the generated pdf file in elements like Select Box, Radio Button.

Email - SMTP Settings

Configure Export Email Tool > Email - SMTP Settings > Email Info > Advanced

SMTP Host *

SMTP Port *

Security

SMTP Username

SMTP Password

Figure 2: Export Form Email Tool Properties - Email SMTP Settings

Name	Description
SMTP Host	Email Server SMTP Host <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;"> i Example smtp@gmail.com </div>

SMTP Port	<p>Email Server SMTP Port</p> <div style="border: 1px solid #ccc; border-radius: 5px; padding: 5px; margin-top: 10px;">  Typically, port 465 for SSL security option and 587 for TLS </div>
Security	<ul style="list-style-type: none"> • None • TLS • SSL
SMTP Username	<p>Email Server Account Username</p> <div style="border: 1px solid #ccc; border-radius: 5px; padding: 5px; margin-top: 10px;">  On Google email account, use your full email address. </div>
SMTP Password	<p>Email Server Account Password</p> <div style="border: 1px solid #ccc; border-radius: 5px; padding: 5px; margin-top: 10px;">  Password submitted will be encrypted for security reason. </div>

Email Info

Configure Export Email Tool > Email - SMTP Settings > **Email Info** > Advanced

From *	
To (specific email address)	
To (participant ID)	
CC	
BCC	
Subject	
Message	

HTML Content?

Figure 3: Export Form Email Tool Properties - Email Info

Name	Description
From	<p>Sender email address.</p> <div data-bbox="289 306 1484 420" style="border: 1px solid #ccc; padding: 5px;"> <p> Example no-reply@your-company-name.com</p> </div>
To (Specific email address)	<p>Recipient fully qualified address.</p>
To (Participant ID)	<p>Participant ID(s) according to the process flow it resides in.</p> <p>Multiple values can be accepted by separating them with semicolons.</p> <div data-bbox="289 625 1484 709" style="border: 1px solid #ccc; padding: 5px;"> <p> When To (Specific email address) and To (Participant ID) are both populated, email will be sent to both.</p> </div>
CC	<p>Fully qualified address is expected.</p> <p>Multiple values can be accepted by separating them with semicolons.</p> <div data-bbox="289 844 1484 928" style="border: 1px solid #ccc; padding: 5px;"> <p> CC: lets you send a copy of a message to someone who's interested, but is not the primary recipient.</p> </div>
BCC	<p>Fully qualified address is expected.</p> <p>Multiple values can be accepted by separating them with semicolons.</p> <div data-bbox="289 1064 1484 1148" style="border: 1px solid #ccc; padding: 5px;"> <p> Both Cc and Bcc forward a copy of the message to everyone you've listed. The main difference between Cc or Carbon copy and Bcc (Blind carbon copy) is that, with the latter, the recipients do not get to know each other.</p> </div>
Subject	<p>Email Subject.</p>
Message	<p>Email Message.</p>
HTML Content?	<p>Check if "Message" is intended to be a HTML content.</p>

Advanced

Configure Export Email Tool > Email - SMTP Settings > Email Info > **Advanced**

Formatting (CSS)

Header (HTML)

Repeat header on every page?

Footer (HTML)

Repeat footer on every page?

Figure 4: Export Form Email Tool Properties - Advanced

Name	Description
Formatting (CSS)	<p>CSS to be included when generating pdf file.</p> <p>The Advanced > Formatting (CSS) field gives you formatting options (font size and color) for the output.</p> <p>Available CSS Classes:</p>

```

*
- Wildcard. Everything in the form.

.form-section
- Container of a section

.form-section-title
- Container of section title

.form-column
- Container of column

.form-cell
- Container of field

.label
- Label of field

//Sub Form
.subform-container
- Container of a Subform

.subform-title
- Container of Subform title

.subform-section
- Container of section in Subform

.subform-section-title
- Container of section title in Subform

.subform-column
- Container of column in Subform

.subform-cell
- Container of field in Subform

.header
- Container of configured header

.footer
- Container of configured footer

```

Figure 5: This figure illustrates the CSS classes used in the form layout.

Example

```
//Change all word to blue color
*, .form-cell{
  color:blue;
}

//Change all word to smaller size
*, .form-cell{
  font-size:10px;
}

//Change all label format to underline
.label{
  text-decoration:underline;
}

//Transform all header format to uppercase
.form-section-title{
  text-transform:uppercase;
}
```

Font & Unicode

There are a few fonts (added by default) that you can use in CSS formatting. They are:

```
serif, sans-serif, monospace, Courier, TimesRoman,
```

For Unicode content, you can use the following fonts for Asian languages (i.e., Chinese, Traditional Chinese, Japanese, Korean):

```
STSong-Light, MSung-Light, HeiseiMin-W3, HYGoThic-Medium
```

Note : "STSong-Light" gives the best result for Chinese; "MSung-Light" for Traditional Chinese; "HeiseiMin-W3" for Japanese; and "HYGoThic-Medium" for Korean.

```
*{font-family:HYGoThic-Medium;}
```

Example for Thai Unicode:

1. Add the following CSS into Export Form Email Tool > "Formatting (CSS)" field:

```
@font-face {
  src: url(http://localhost:8080/THSarabun.ttf);
  -fs-pdf-font-embed: embed;
  -fs-pdf-font-encoding: Identity-H;
}
*{font-family: 'TH SarabunPSK';}
```

2. Download the THSarabun.ttf font file and copy it to "[Tomcat Directory]/webapps/ROOT" folder.

Header (HTML)	Header in HTML to be included when generating pdf file.
Repeat header on every page?	If checked, the Header (HTML) will be included in every subsequent pages in the generated pdf file.
Footer (HTML)	Footer in HTML to be included when generating pdf file.
Repeat footer on every page?	If checked, the Footer (HTML) will be included in every subsequent pages in the generated pdf file.