Export Form Email Tool

Export Form Email Tool allows you to send out an email with a form attached in PDF format. Apart from configuring the normal email plugin, the only other configuration you will need to do would be on the selection of the form to be attached and the desired file name for the attachment. Please refer to the screenshots below.




Figure 1: Configuring the Export Email Tool

| Configure Export Email Tool > Email - SMTP Set | ting > Email Info |
|--|-------------------|
| SMTP Host * | mail.domain.com |
| MTP Port * | 25 |
| pes the SMTP need authentication? | V |
| MTP Username | info@domain.com |
| MTP Password | ••••• |

Figure 2: Configuring the Email Server

| Email Info | |
|---|-----------------|
| Configure Export Email Tool > Email - SMTP Setting > Email Info | |
| From * | info@domain.com |
| To (specific email address) | |
| To (participant ID) | requester |
| cc | |
| Subject | Test Email |
| Message | Test Content |

Figure 3: Configuring the Email Content




Figure 4: Sample Form Design




Figure 5: Sample Form at Runtime



Figure 6: Sample Email

KB:Sample Attachment

Formatting with CSS

The **Advanced > Formatting (CSS)** field gives you formatting options (font size and color) for the output.

Available CSS Classes:

```
- Wildcard. Everything in the form.
.form-section
- Container of a section
.form-section-title
- Container of section title
.form-column
- Container of column
.form-cell
- Container of field
.label
- Label of field
//Sub Form
.subform-container
- Container of a Subform
.subform-title
- Container of Subform title
.subform-section
- Container of section in {\tt Subform}
.subform-section-title
- Container of section title in Subform
.subform-column
- Container of column in Subform
.subform-cell
- Container of field in Subform
.header
- Container of configured header
.footer
- Container of configured footer
```

The picture below illustrates the CSS classes used in the form layout.



Example:

```
//Change all word to blue color
*, .form-cell{
    color:blue;
}

//Change all word to smaller size
*, .form-cell{
    font-size:10px;
}

//Change all label format to underline
.label{
    text-decoration:underline;
}

//Transform all header format to uppercase
.form-section-title{
    text-transform:uppercase;
}
```

Font & Unicode

There are a few fonts (added by default) that you can use in CSS formatting. They are:

```
serif, sans-serif, monospace, Courier, TimesRoman,
```

For Unicode content, you can use the following fonts for Asian languages (i.e., Chinese, Traditional Chinese, Japanese, Korean):

```
STSong-Light, MSung-Light, HeiseiMin-W3, HYGoThic-Medium
```

Note: "STSong-Light" gives the best result for Chinese; "MSung-Light" for Traditional Chinese; "HeiseiMin-W3" for Japanese; and "HYGoThic-Medium" for Korean. The state of the properties of t

*{font-family:HYGoThic-Medium;}