

Default Formatter

The **Default Formatter** allows you to transform and style the column row value with various options available.

Configure Default Formatter

General > Action Mapping > Formatter > Configure Default Formatter > Configure Foreign Key

Formatting

☐ Bold

☐ Big

☐ Computer Code Text

☐ Emphasized Text

☐ Italic

☐ Small

☐ Strikethrough

☐ Strong

☐ Subscripted Text

☐ Superscripted Text

☐ Underline

Font Size

Font Color Code

Figure 1: Default Formatter Properties

Name	Description
Formatting	Check if appropriate to style the column value.
Font Size	Font size in character. <div><div>Example</div><div>14px</div></div>
Font Color Code	Font color code in character. <div><div>Example</div><div>#ff0000</div></div> <div><div>Example</div><div>red</div></div>

Configure Foreign Key

General > Action Mapping > Formatter > Configure Default Formatter > Configure Foreign Key

Form

Field

Figure 2: Default Formatter Properties - Configure Foreign Key

In this tab, when configured, the current column value will act as a foreign key value and will be used to retrieve field value from other form data table.

Name	Description
Form	Target form to retrieve value from.

Field

Field ID of the select field to retrieve value from.



Example

The **current column value** holds the **category ID**.

There is a separate form called "Category" that holds all the categories.

Category form table scheme:

Name
id
name
description

By specifying "**name**" here, the category name will be returned.