

Default Formatter

The **Default Formatter** allows you to transform and style the column row value with various options available.

Configure Default Formatter
General > Action Mapping > Formatter > **Configure Default Formatter** > **Configure Foreign Key**

Formatting	<input type="checkbox"/> Bold <input type="checkbox"/> Big <input type="checkbox"/> Computer Code Text <input type="checkbox"/> Emphasized Text <input checked="" type="checkbox"/> Italic <input type="checkbox"/> Small <input type="checkbox"/> Strikethrough <input type="checkbox"/> Strong <input type="checkbox"/> Subscripted Text <input type="checkbox"/> Superscripted Text <input type="checkbox"/> Underline
Font Size	<input type="text"/>
Font Color Code	<input type="text"/>

Figure 1: Default Formatter Properties

Name	Description
Formatting	Check if appropriate to style the column value.
Font Size	Font size in character. Example 14px
Font Color Code	Font color code in character. Example #ff0000 Example red

Configure Foreign Key
General > Action Mapping > Formatter > **Configure Default Formatter** > **Configure Foreign Key**

Form	<input type="text"/>
Field	<input type="text"/>

Figure 2: Default Formatter Properties - Configure Foreign Key

In this tab, when configured, the current column value will act as a foreign key value and will be used to retrieve field value from other form data table.

Name	Description
Form	Target form to retrieve value from.

Field	Field ID of the select field to retrieve value from.				
	<div><p>Example</p><p>The current column value holds the category ID.</p><p>There is a separate form called "Category" that holds all the categories.</p><p>Category form table scheme:</p><table border="1"><tr><td>Name</td></tr><tr><td>id</td></tr><tr><td>name</td></tr><tr><td>description</td></tr></table><p>By specifying "name" here, the category name will be returned.</p></div>	Name	id	name	description
Name					
id					
name					
description					