


# XRPL Generate Wallet Tool

- [Introduction](#)
- [Plugin Properties](#)
  - [Configure XRPL Generate Wallet Tool](#)
  - [Store Data To Form](#)
  - [Store Response To Workflow Variable](#)

## Introduction

This [process tool](#) plugin allows you to generate a wallet on the XRP ledger, and store the account data into a form and/or workflow variables.



Do note that for freshly created wallets, it must be funded according to the reserve requirement, in order for the ledger to be aware of the wallet's existence.

If you are using the **devnet** or **testnet**, do check the **Fund Test Wallet** plugin property.

To learn more about the reserve requirement, see: <https://xrpl.org/reserves.html>.


## Plugin Properties

### Configure XRPL Generate Wallet Tool

Name	Description
rippled Server	<p>Select the network to create a wallet on:</p> <ul style="list-style-type: none"><li>• General Purpose Mainnet</li><li>• Full History Mainnet</li><li>• Devnet</li><li>• Testnet</li><li>• Custom Server</li></ul> <p>"Mainnet" uses real-world XRP. Please use "testnet" or "devnet" or your own test <i>rippled</i> server for testing purposes.</p> <p>The selectable networks here connects to official XRPL public servers. To learn more about all the network types and public servers available, see:</p> <ul style="list-style-type: none"><li>• <a href="https://xrpl.org/public-servers.html">https://xrpl.org/public-servers.html</a></li><li>• <a href="https://xrpl.org/parallel-networks.html">https://xrpl.org/parallel-networks.html</a></li></ul>
rippled URL	<p>Only available if <b>Custom Server</b> is selected for <b>rippled Server</b> property.</p> <p>If you have setup your own <i>rippled</i> server, key in its URL here.</p>
Fund Test Wallet	<p>Only available if <b>Devnet</b> or <b>Testnet</b> is selected for <b>rippled Server</b> property.</p> <p>Check this option to automatically fund the test wallet upon wallet creation.</p>

### Store Data To Form

Name	Description
Form	<p>Select a form to store the wallet data to.</p> <p>All fields from the selected form will be made available for field mapping in the section below.</p>
Field Mapping	

Wallet Seed	<p>This is the secret key used to perform actions with the wallet.</p> <p>In the event if wallet data is lost, this seed value can be used on a qualified wallet to recover the account.</p> <p>This value is stored as an encrypted value in the database.</p> <p>To learn more about wallet seed, see: <a href="https://xrpl.org/cryptographic-keys.html#seed">https://xrpl.org/cryptographic-keys.html#seed</a>.</p> <div> <b>Caution</b> Wallet seed <b>MUST</b> be strictly secured at all times, and only viewable to the intended user. <b>Anyone who possesses this seed has full unrestricted control and can do irreparable damage!</b></div>
Wallet Owner Field	The field to store the owner of this wallet.
Wallet Owner Value	<p>To store the wallet owner value based on the field selected on <b>Wallet Owner Field</b> property.</p> <p><a href="#">Hash variable</a> is accepted here. Typically points to an actual Joget user, e.g. : Joget username.</p>
Is Test Wallet Flag	To indicate if this is a real or test wallet.
Wallet Public Key	The wallet's master public key.
Wallet X-Address	<p>The wallet's X-Address.</p> <p>To learn more about X-Address format, see: <a href="https://xrpl.org/accounts.html#addresses">https://xrpl.org/accounts.html#addresses</a>.</p>

Store Response To Workflow Variable

Name	Description
Response Status	To indicate if the wallet generation is successful.
Is Test Wallet Flag	To indicate if this is a real or test wallet.