

Datalist Action Plugin

- Usages
- Abstract Class
 - [org.joget.apps.datalist.model.DataListActionDefault](#)
 - Method Detail
 - Abstract Methods
 - [getLinkLabel](#)
 - [getHref](#)
 - [getTarget](#)
 - [getHrefParam](#)
 - [getHrefColumn](#)
 - [getConfirmation](#)
 - [executeAction](#)
 - Overridable Methods
 - [getVisibleOnNoRecord](#)
 - Plugin Properties Options
 - Predefined Property
 - [visible](#)
 - Tutorials
 - Related Community Plugins

Usages

- Used to extend methods of executing an action on list item. E.g. Delete a record
- Datalist Action Plugin can be used as Datalist row action as single record action or as whole list action for multiple records. It also can use in individual column by configure it in [Column - Action Mapping](#).
- A useable Datalist Action Element plugin must extends [org.joget.apps.form.model.Element](#) abstract class.

Abstract Class

[org.joget.apps.datalist.model.DataListActionDefault](#)

- Under wflow-core module
- Extended [org.joget.plugin.base.ExtDefaultPlugin](#). Please refer to [Plugin Base Abstract Class and Interface](#).
- Implemented [org.joget.plugin.property.model.PropertyEditable](#). Please refer to [Plugin Base Abstract Class and Interface](#).
- A base abstract class to develop a Datalist Action Plugin.

Method Detail

Abstract Methods

```
getLinkLabel  
public java.lang.String getLinkLabel()  
  
Descriptive name for the action  
  
getHref  
public java.lang.String getHref()  
  
Optional link to a URL  
  
getTarget  
public java.lang.String getTarget()  
  
Optional link to a URL  
  
getHrefParam  
public java.lang.String getHrefParam()  
  
Name of the parameter if linked, separated by semicolon ";" if has multiple.  
  
getHrefColumn  
public java.lang.String getHrefColumn()  
  
Name of the column to use for the param value if linked, separated by semicolon ";" if has multiple.
```

```

getConfirmation

public java.lang.String getConfirmation()

    Message for confirmation

executeAction

public org.joget.apps.datalist.model.DataListActionResult executeAction(org.joget.apps.datalist.model.
DataList dataList,java.lang.String[] rowKeys)

    Method to perform the action on selected rows

```

Overridable Methods

```

getVisibleOnNoRecord

public java.lang.Boolean getVisibleOnNoRecord();

Flag that decide to show an action object or not

Default to the value of property "visible".

```

Plugin Properties Options

- Please refer to [Plugin Properties Options](#) for more information.

Predefined Property

visible

- [getVisibleOnNoRecord](#) method use this value to decide whether or not show this action when no record in the datalist

```
{
  label : '@@datalist.hyperlinkdatalistaction.visible@@',
  name : 'visible',
  type : 'checkbox',
  options : [
    {'value' : 'true', 'label' : ''}
  ]
}
```

Tutorials

- [Guideline for developing a plugin](#)
- [How to develop a Download PDF Datalist Action](#)

Related Community Plugins

- **Form Row Delete Action**
org.joget.apps.datalist.lib.FormRowDeleteDataListAction (wflow-core)
- **Data List Hyperlink Action**
org.joget.apps.datalist.lib.HyperlinkDataListAction (wflow-core)