Data List Inbox

Datalist Inbox Userview Menu extends the usability of Datalist Builder's listing with the generic Task Inbox. Unlike the usual Task Inbox which has it's own set of predefined columns, Datalist Inbox Userview Menu enables you to select your own list, allowing you to display the key value of an item. This increases productivity and cuts down time wasted clicking and checking each item.


Figure 1: Screenshot showing Data List Inbox from sample HR Expenses Claim app

Figure 2: Data List Inbox Properties

Name	Description
Custom ID	Item link slug. Optional field. ⓘ **Unique field** Value defined here must be unique to the rest of the Userview Menus as the first matching name will be called upon.
Label	Menu label. Mandatory field.

Datalist	Datalist to load. Mandatory field.

> ℹ️ **Tip**
>
> Make sure that the "id" of the dataset in the Datalist reflects the Process Instance ID or record ID that can be used to match to the actual assignment.
>
> | 🖥️ Host: 127.0.0.1 | 🗄️ Database: jwdbkb | 📋 Table: app_fd_ap_forms | 📊 Data | ▶ Query* | ▶ Q |
> |---|---|---|---|---|---|
>
> ```
> 1 SELECT * FROM app_fd_hr_expense_claim
> ```
>
> 📋 app_fd_hr_expense_claim (17×37)
>
> | 🔑 id | dateCreated | dateModified | c_f |
> |---|---|---|---|
> | 1_hr_expense_process1 | 2015-08-17 14:15:54 | 2015-09-14 11:22:07 | (NU |
> | 10_hr_expense_process1 | 2015-08-26 07:30:07 | 2015-09-10 18:41:59 | |
> | 11_hr_expense_process1 | 2015-08-26 07:41:30 | 2015-09-10 18:41:52 | |
> | 12_hr_expense_process1 | 2015-08-26 07:58:38 | 2015-09-10 18:41:45 | |
> | 13_hr_expense_process1 | 2015-08-26 08:15:55 | 2015-08-26 08:16:16 | |
> | 14_hr_expense_process1 | 2015-08-26 08:31:13 | 2015-08-26 08:31:26 | |
> | 15_hr_expense_process1 | 2015-08-26 10:33:19 | 2015-08-26 11:17:14 | 23- |
> | 16_hr_expense_process1 | 2015-08-26 11:16:42 | 2015-08-26 11:17:09 | 23- |
> | 17_hr_expense_process1 | 2015-08-26 11:21:00 | 2015-08-26 12:53:45 | |
> | 18_hr_expense_process1 | 2015-08-26 13:01:09 | 2015-08-26 13:01:23 | (NU |
> | 19_hr_expense_process1 | 2015-08-26 18:06:48 | 2015-09-02 09:58:11 | (NU |
> | 2_hr_expense_process1 | 2015-08-20 14:45:20 | 2015-09-14 11:30:37 | |
> | 20_hr_expense_process1 | 2015-08-26 18:51:42 | 2015-09-07 16:42:49 | (NU |
> | 21_hr_expense_process1 | 2015-08-27 11:50:23 | 2015-08-27 11:57:17 | (NU |
> | 22_hr_expense_process1 | 2015-08-27 12:09:17 | 2015-08-27 12:09:26 | (NU |
>
> This is especially important when one is using the JDBC Datalist Database Binder to define its own query.

Assignments to Display	- All assignments - Assignments for all Apps - Assignments for a Process only - Assignments for selected Activity only
Process	Filter by process(es). Required when **Assignments to Display** is set to "**Assignments for a Process only**" or "**Assignments for selected Activity only**"
Activity	Filter by activity(ies). Required when **Assignments to Display** is set to "**Assignments for selected Activity only**"

UI

Edit Datalist Inbox > **UI** > Advanced

Show Number of Rows in Menu ☑

Show Assignment Details ☐

List View Custom Header

List View Custom Footer

Assignment View Custom Header

Assignment View Custom Footer

Figure 3: Data List Inbox Properties - UI

Name	Description
Show Number of Rows in Menu	Show Number of Rows In Menu. ⓘ **Performance Warning** Additional query will be performed to return record count every time the Userview loads.
Show Assignment Details	Show assignment details in a Tooltip fashion.
List View Custom Header	List View Custom Header in HTML.

List View Custom Footer	List View Custom Footer in HTML.
Assignment View Custom Header	Assignment View Custom Header in HTML.
Assignment View Custom Footer	Assignment View Custom Footer in HTML.

Advanced

Edit Datalist Inbox > UI > **Advanced**

Userview Key Name

Figure 4: Data List Inbox Properties - Advanced

Name	Description
Userview Key Name	Corresponding column name to filter the dataset against using the Userview Key value.

Screenshots taken from http://localhost:8080/jw/web/console/app/hr_expense/1/userview/builder/hr_expense_userview