Form

Form Userview Element allows one to directly enter/view Form data without being part of a process flow.



Figure 1: Screenshot highlighting a Form in a Userview



Figure 2: Form Properties

Name	Description
Custom ID	Item link slug. Optional field. **Unique field** Value defined here must be unique to the rest of the Userview Menus as the first matching name will be called upon.
Label	Menu label. Mandatory field.
Form	Target form to load. Mandatory field.
Show in popup dialog?	If checked, user will be presented in a popup dialog.
Readonly?	All the fields in the target form will be rendered as read only when checked.
Display field as Label when readonly?	Fields set to read only will be rendered as label/text instead of being bounded in its original input element.



Figure 3: Form Properties - Redirection

Name	Description
Message Shown After Form Submission	Message Shown After Form Submission.
URL Redirect After Form Submission	URL Redirect After Form Submission.
URL Redirect on Cancellation	URL Redirect on Cancellation. When this value is set, the Cancel button will appear at the bottom of the form.

Redirect Target on Cancellation	• Top Window • Current Window
Field Name For URL Redirect Value Passover	Field id from the preceding form to retrieve the value from.
Field Value Passover Method	• Append to URL • As URL Request Parameter
Request Parameter Name	Parameter name to hold the value retrieved using **"Field Name For URL Redirect Value Passover"**



Figure 4: Form Properties - UI

Name	Description
Submit Button Label	Submit Button Label. **Default Value**: Save
Cancel Button Label	Cancel Button Label. **Default Value**: Cancel The Cancel button will only appear when "**URL Redirect on Cancellation**" is set.
Custom Header	Custom Header in HTML.
Custom Footer	Custom Footer in HTML.



Figure 5: Form Properties - Advanced

Name	Description
Userview Key Name	When set to point to a corresponding form input name, the userview key value will be set into the particular field. **Example** **Userview Key Value**: hello **Userview Key Name**: expenses_detail_hr_expense_new_title 
Load Data Using Userview Key?	When checked, record row will be loaded into the form using the userview key value. The "**Userview Key Name**" expected is "id" to facilitate record seeking using the primary key.