

Password Field

- [Introduction](#)
- [Get Started](#)
- Password Field Properties
 - [Configure Password Field](#)
 - [Advanced Options](#)
 - [Data](#)
 - [UI](#)

Introduction

The **Password Field** is standard HTML Input to capture user input, but disguise each character with an asterisk (*) instead of displaying the entered digits. They offer a user on-screen privacy while he or she is entering a password.

Get Started

The easiest way to see how the Password Field works is to create a new app. Here are the steps:

1. Start the **Joget Server** and open the **App Center**.
2. Log in as **admin** and click on the **Design New App** button. (see Figure 1)







Figure 1

3. Select **Create A Blank App** and fill up the **App Details** as follows and click **Save** (see Figure 2):
 - i. App ID: **tutorial**
 - ii. App Name: **Tutorial**

DESIGN NEW APP


Create A
Blank App


Create From
Template


Clone From
Existing App

App ID *

tutorial

App Name *

Tutorial

Save

Cancel

Figure 2

4. You will be directed to the **App Composer**. Click on the **Create New Form** button and fill up the Form Details as follows (see Figure 3):

- Form ID: **passwordField**
- Form Name: **Password Field**
- Table Name: **tutorial**

CREATE NEW FORM

FORM DETAILS

Form ID * passwordField

Form Name * Password Field

Table Name * app_fd_ tutorial

Description

[Show Advanced Options](#)

Save **Cancel**

Figure 3

5. Click on **Save** and you will be directed to the **Form Builder**.
6. Drag and drop a **Password Field** element on to the canvas.
7. Click on **Preview**, key in any value in the Password field and it will be automatically masked (see Figure 4).




Figure 4

Password Field Properties

Configure Password Field

Configure Password Field ?

Label *

Password Field

ID *

field2

Figure 5: Configure Password Field

Name	Description
Label	Element Label to be displayed to the end-user.
ID	Element ID (By declaring as "password", a corresponding database table column "c_password" will be created) Please see Form Element for more information about defining the ID and list of reserved IDs.

Advanced Options

Data

Advanced Options

DATA


Value

Max Length

Validator

Figure 6 : Configure Password Field - Advanced Options

Name	Description
Value	<div>Default Value when there's no existing value found.</div> <div>A hash variable is accepted here. For example, you may key the following</div> <div>#currentUser.firstName# #currentUser.lastName#</div> <div>to pre-populate the field with currently logged in user's name.</div>
Max Length	Maximum character length allowed.
Validator	<div>Attach a Validator plugin to validate the input value.</div> <div><div><div></div><div>When will validation takes place?</div></div><div>Validation will take place whenever a form is submitted except when it is submitted as "Save as Draft".</div></div> <div>Available Options:</div> <div><div><div></div><div>Basic</div></div><div><div></div><div>BeanShell</div></div><div><div></div><div>Data and Time Duplicate Validator</div></div><div><div></div><div>Directory</div></div><div><div></div><div>Duplicate Value</div></div><div><div></div><div>Equal Value</div></div><div><div></div><div>Multi Form Validator</div></div><div><div></div><div>Password</div></div><div><div></div><div>Plugin Template - Validator</div></div></div>

 UI

Size

☐ Readonly

☐ Display Field as Label When Readonly?

Figure 7: Configure Password Field - UI

Name	Description
Size	Width of the element.
Readonly	Determines if the element is editable.
Display field as Label when readonly?	Displays the value of the element as plain text when an element is set to "Readonly".