

Universal Inbox Menu

- [Introduction](#)
- [Universal Inbox Properties](#)
 - [Configure Universal Inbox](#)
 - [UI](#)
 - [Performance & Offline](#)

Introduction

Universal Inbox Menu contains all the pending and assigned tasks of the currently logged-in user (regardless of App origin).

Universal Inbox Properties

Configure Universal Inbox

Configure Universal Inbox ?

Label *

▼

Universal Inbox

Menu ID

Figure 1: Universal Inbox Properties

Label	Menu label. Mandatory field.
Menu ID	Item link slug. Optional field. <div><div><div><div>i</div><div>Unique field</div></div><div>Value defined here must be unique to the rest of the UI Menus as the first matching name will be called upon.</div></div></div>

UI

UI

☐ Show Number of Rows In Menu

List View Button Position

Bottom Left

☐ Show Assignment in Popup Dialog?

List View Custom Header

1

List View Custom Footer

1

Assignment View Custom Header

1

Assignment View Custom Footer

1

Figure 2: Universal Inbox Properties - UI

Show Number of Rows in Menu	If checkbox is ticked, number of rows will be shown in menu.
List View Button Position	<ul style="list-style-type: none">• Top Left• Top Right• Bottom Left• Bottom Right• Top Left & Bottom Left• Top Right & Bottom Right
Show Assignment in Popup Dialog?	If checkbox is ticked, assignment will be shown in popup dialog.

List View Custom Header	<div>List View Custom Header</div> <div><div>ACTIVITY NAME</div><div>PROCESS NAME</div><div>DAT</div></div> <div>Nothing found to display.</div> <div>List View Custom Footer</div> <div>List View Custom Header in HTML.</div>
List View Custom Footer	<div>List View Custom Header</div> <div><div>ACTIVITY NAME</div><div>PROCESS NAME</div><div>DAT</div></div> <div>Nothing found to display.</div> <div>List View Custom Footer</div> <div>List View Custom Footer in HTML.</div>
Assignment View Custom Header	Assignment View Custom Header in HTML.
Assignment View Custom Footer	Assignment View Custom Footer in HTML.

Performance & Offline

Performance & Offline

CACHE SETTINGS

Scope ?

None

Duration (s) ?

20


Figure 3: Cache Settings

Name	Description
------	-------------

Scope	Caching options are: <ul style="list-style-type: none">• None: No caching.• Application: Cache content by application where all users will see the same content.• User: Cache by username.
Duration (s)	Duration in seconds to cache content, defaults to 20 seconds if applicable.

Performance

You can configure the **Performance** settings in this UI Element which allows one to cache existing content for improved performance and loading speed. Read more at [Performance Improvement with UI Caching](#).

 **PWA OFFLINE SETTINGS**

PWA Offline support is dependent on the theme used.

☐ **Enable Cache for Offline Support**

☐ **Cache All List Links in First Page**

Figure 4: PWA Offline Settings

Note: PWA Offline support is dependent on the theme used.

Name	Description
Enable Cache for Offline Support	Enable caching for offline support, usually set for use on mobile browsers.
Cache All List Links in First Page	Enable caching for all list links in first page.

Read [Progressive Web Application \(PWA\)](#) for more information.