

Map Participants to Users

Each participant declared in Process Designer would have its mapping configured here. There are various options available to define the participants.

Map Participants to Users

Map Activities to Forms

Map Tools to Plugins

Variable List

This is the list of participants defined in the Workflow design.

Claimant

ID : claimant

| | |
|-------|------------------------------------|
| Type | Performer |
| Value | Activity Definition ID :runProcess |
| | Remove Mapping |

Approver

ID : approver

| | |
|-------|------------------------------------|
| Type | Performer's HOD |
| Value | Activity Definition ID :runProcess |
| | Remove Mapping |

Finance

ID : finance

| | |
|-------|----------------|
| Type | User |
| Value | admin |
| | Remove Mapping |

Process Start White List

ID : processStartWhiteList

| | |
|-------|--------------------------------|
| Type | Role |
| Value | Everyone (Including Anonymous) |

Figure 1: Map Participants to Users

Process Start White List

Process Start White List defines who is permitted to start the process. By default, everyone can start the process. But when configured, only those found in the mapping will be allowed to do so.

Mapping Options

Map to User or Group

Map Participants to Users - Claimant (claimant)


Filter By Organization

Search


| <input type="checkbox"/> | Group ID | Group Name | Group Description | Organization |
|--------------------------|----------|------------|-------------------|--------------|
| <input type="checkbox"/> | G-002 | CxO | | |
| <input type="checkbox"/> | G-003 | hrAdmin | | |
| <input type="checkbox"/> | G-001 | Managers | | |

Figure 2: Map to User or Group

One may map a participant to a selected user(s) or group(s). By doing so, every time a new activity is created in the participant's swimlane, Joget will pick up the same resultant user(s) to be assigned as assignee(s).


Inactive User

If the user mapped is **inactive** at the time of assignment is made, the particular user will not be assigned.


No valid user found?

If there's no valid user found to be assigned to at the time of assignment is made, the activity will be assigned to the current logged in user (previous performer).

Map to Org Chart

Map Participants to Users - Claimant (claimant)

☒ Performer
 ☐ Performer's HOD
 ☐ Performer's HOD (Ignore Report To)
 ☐ Performer's Subordinates
 ☐ Performer's Department

Where the performer executed:

Figure 2: Map to Org Chart

One may also map to a participant in relation to the reporting organization chart and the performers/participants in the process flow.

For example, we are trying to determine the participant that will be approving a claim. The person to approve a claim will be the HOD of the person that submitted the claim. Therefore, the setting would be **'Performer's HOD** where the performer executed **Submit Claim**"

Map to Workflow Variable

