Map Participants to Users

Each participant declared in Process Designer would have its mapping configured here. There are various options available to define the participants.

Map Participants to Users	Map Activities to Forms	Map Tools to Plugins	Variable List		
This is the list of participants d	efined in the Workflow design	1.			
Claimant ID : claimant					
Туре	Performer	Performer			
Value	Activity Definition	Activity Definition ID :runProcess			
	Remove Mapping				
Approver ID : approver					
Туре	Performer's HOD	Performer's HOD			
Value	Activity Definition	Activity Definition ID : <u>runProcess</u>			
	Remove Mapping				
Finance ID: finance					
Туре	User	User			
Value	<u>admin</u>				
	Remove Mapping				
Process Start White List ID: processStartWhiteList					
Туре	Role				
Value	Everyone (Includin	Everyone (Including Anonymous)			

Figure 1: Map Participants to Users

Process Start White List

Process Start White List defines who is permitted to start the process. By default, everyone can start the process. But when configured, only those found in the mapping will be allowed to do so.

Mapping Options

Map to User or Group



Figure 2: Map to User or Group

One may map a participant to a selected user(s) or group(s). By doing so, every time a new activity is created in the participant's swimlane, Joget will pick up the same resultant user(s) to be assigned as assignee(s).



Map to Org Chart




Figure 2: Map to Org Chart

One may also map to a participant in relation to the reporting organization chart and the performers/participants in the process flow.

For example, we are trying to determine the participant that will be approving a claim. The person to approve a claim will be the HOD of the person that submitted the claim. Therefore, the setting would be "Performer's HOD where the performer executed Submit Claim"


Map to Workflow Variable



Figure 3: Map to Workflow Variable

A participant can also be determined through the use of Workflow Variable. This is particularly useful when the participant is decided on-the-fly in the preceding activity with the value set into the Workflow Variable. If the variable value contains a username, then, the option to be set here would be "Username" with the correct Variable ID picked.

Map to Plugin



List of available Participant Plugins

Bean Shell for Process Participant