AJAX Subform


Definition

AJAX Sub Form gives you the flexibility of dynamically loading a Subform by attaching a listener to other form field.

Unlike the generic Sub Form element found in the community edition, AJAX Sub Form gives you the flexibility of dynamically populating a Subform as the value it watches changes.

Data to load by the AJAX Subform

The target's form Load Binder will be executed to fetch record matched from the properties defined in AJAX Subform.






Figure 2: Screenshot highlighting AJAX Subform in Form Builder Preview





Figure 3: AJAX Subform Properties



UI		
Edit AJAX Sub Form > UI > Data & Binder		
General		
Reload Sub Form when Parent Field value change?		
Readonly		
Display field as Label when readonly?		
Display without frame?		
Collapsible Setting		
Collapsible?		
Label when expanded	Hide Details	
Label when collapsed	View Details	
Expanded by default?	€	
Hide when no value?		

Figure 4: AJAX Subform Properties - UI

Name	Description	
Reload Sub Form when Parent Field value change?	Dynamically reload the subform when parent field value changes.	
	Parent Field value here refers to the Parent Field to keep Subform ID setting in the next tab.	
Readonly	Determines if the element is editable.	
Display field as Label when readonly?	Displays the value of the element as plain text when element is set to "Readonly".	
Display without frame?	Decorator option. Removes default styling applied to SubForm when checked.	
Collapsible?	Make the AJAX Subform collapsible.	
Label when expanded	Label when expanded	
Label when collapsed	Label when collapsed	
Expanded by default?	Expanded by default option.	
Hide when no value?	To hide the AJAX Subform when there's no data to be loaded.	



Figure 5: AJAX Subform Properties - Data & Binder

Name	Description	
Parent Field to keep Subform ID	ID of the field in the parent form to store the Sub Form table's primary key. Sub Form data will be loaded based on the record ID retrieved from this field.	

Subform Field to keep Parent ID	ID of the field in the Sub Form form to store the parent table's primary key.	
Store Binder	By default, Workflow Form Binder plugin is used for loading and storage of form data in the AJAX Subform, you may override it with other plugins.	
	Important The target form's Store Binder will not be executed. The Store Binder selected in this property will be executed instead. See list of available Form Binder.	

Related Video Tutorials