

Bean Shell Form Binder

Definition

Bean Shell Form Binder allows you to dictate how Form Data should be loaded and stored.

Configure Bean Shell Form Binder

Edit Form > Advanced > **Configure Bean Shell Form Binder** > Load Binder (Bean Shell Form Binder)




Script *

1

Use AJAX for cascade options?

☐

Figure 1: Bean Shell Form Binder Properties

Name	Description
Script	<p>Script in Java. See Bean Shell Programming Guide for example.</p> <div> <div>  Quick Example </div> <p>Sample Load Binder that will populate field with id "description" with the value "hello world".</p> <div> <div> <h3>Update Account Process - Activity 1</h3> <div>Section</div> <div> <div>Description</div> <div>hello world</div> </div> <div> <div>Save As Draft</div> <div>Complete</div> </div> <div>  Print </div> </div> </div> <pre>import org.joget.apps.form.model.*; FormRowSet f = new FormRowSet(); FormRow r1 = new FormRow(); r1.put("description", "hello world"); f.add(r1); return f;</pre> </div>
Use AJAX for cascade options?	<p>When checked, this allows these fields to dynamically load available options based on the other field value (grouping column) when dealing with tremendous amount of selections. Read more at Ajax Cascading Drop-Down List.</p> <div> <div>  Not applicable for Form Binder. Only available when used as an Options Binder. </div> </div>