List

Definition

List allows one to integrate Datalist created using the Datalist Builder into the Userview.

Performance

You can configure the **Performance** settings in this Userview Element to cache existing content for improved performance and loading speed.

Read more at Performance Improvement with Userview Caching.



Figure 1: List showing a Datalist in Userview

Page Size

Items displayed per page depends on the **List** selected. Please see Datalist Properties for more information.

Export Options

You can export the List out to CSV, Excel, XML, and PDF by clicking on the appropriate link at the bottom of the List.



Figure 2: List Properties

Name	Description
Custom ID	Item link slug. Optional field. **Unique field** Value defined here must be unique to the rest of the Userview Menus as the first matching name will be called upon.
Label	Menu label. Mandatory field.
List	Target Datalist to load. Mandatory field.



Figure 3: List Properties - UI

Name	Description
Show Number of Rows In Menu	Show Number of Rows In Menu. **Performance Warning** Additional query will be performed to return record count every time the Userview loads.
Button Position	• Top Left • Top Right • Bottom Left • Bottom Right • Top Left & Bottom Left • Top Right & Bottom Right
Selection Type	• Multiple • Single
Selector Position	• Left • Right • Both left & right • No
Custom Header	Custom Header in HTML.
Custom Footer	Custom Footer in HTML.



Figure 4: List Properties - Advanced

Name	Description

Userview Key Name	This value should correspond to existing datalist's column name. When set, the datalist will be filtered using the userview key value.

Example

Userview Key Name: claimant



Userview Key Value: Cat Grant