

Installation on Linux

NOTE: You may find it easier to use [Docker](#)



The following instructions are for Debian or Ubuntu Linux. For other Linux distributions please adapt the commands accordingly.

1. Install the latest version of Java Runtime Environment (**JRE**) or Java Development Kit (**JDK**) version 11.



IMPORTANT

We recommend the use of the LTS version of Java 8 or 11. Java 17 (LTS) is not supported at the moment.

```
sudo apt-get update
sudo apt-get install openjdk-11-jre-headless
```

2. Install **MySQL** Server version 5.7 and above

```
sudo apt-get install mysql-server
sudo service mysql start
```

3. Create a new directory for the installation

```
mkdir joget
cd joget
```

4. Download the Joget Linux tar.gz bundle from <https://www.joget.org/download>

5. Extract the Linux tar.gz bundle

```
tar xvfz joget-enterprise-linux-x.x.x.tar.gz
cd joget-enterprise-linux-x.x.x
```

6. Execute the bundled **Apache Tomcat** application server

```
./tomcat8.sh start
```

7. View the Apache Tomcat log file, when startup is complete it should say "Server startup in XXXX ms"

```
tail -f apache-tomcat-x.x.x/logs/catalina.out
```

8. Access the **App Center** at <http://localhost:8080/jw>

9. Follow on with [Setting Up Database](#).