

# Joget on Kubernetes

- [Introduction to Kubernetes](#)
- [Install VirtualBox](#)
- [Install kubectl](#)
- [Install Minikube](#)
- [Start Minikube](#)
- [Test Minikube Installation](#)
- [Deploy MySQL on Kubernetes](#)
- [Deploy Joget on Kubernetes](#)
- [Scale Joget Deployment](#)
- [Common Errors](#)
  - [How to Validate Your Installation System Key](#)

## Introduction to Kubernetes

[Kubernetes](#) is the leading open source container orchestration platform. Originally created by Google based on their need to support massive scale, Kubernetes is now under the purview of [Cloud Native Computing Foundation \(CNCF\)](#), a vendor-neutral foundation managing popular open source projects.

There are several basic and essential concepts that need to be understood:

1. A Kubernetes cluster consists of one or more nodes. [Nodes](#) are machines (VMs, physical servers, etc) that run the applications.
2. A [Pod](#) is the smallest Kubernetes object that contains one or more containers, storage resources, network IP and other configuration.
3. A [Service](#) defines a set of Pods and how they are accessed.
4. A [Volume](#) is a shared storage for containers, and many different types are supported.
5. These Kubernetes objects are defined in [YAML](#) format in .yaml files
6. A command line interface tool, [kubectl](#), is used to manage these objects via the [Kubernetes API](#).

[blocked URL](#)

Simplified view of Kubernetes objects

There are [many more concepts](#) in Kubernetes, but the basic ones above should suffice to get started with Kubernetes.

There are many Kubernetes solutions available for different requirements from [different providers](#), ranging from community tools for local testing, to production environments from cloud providers and enterprise vendors.

For the purpose of this tutorial we'll use [Minikube](#), a tool that runs a single-node Kubernetes cluster in a virtual machine for local development and testing. We'll be using a Mac running macOS, but you can adapt the instructions for your OS.

## Install VirtualBox

The first step is to install a VM platform. We'll use the open source VirtualBox as the VM platform. Follow the download and installation instructions at <https://www.virtualbox.org/wiki/Downloads>

## Install kubectl

The next step is to install the Kubernetes command-line tool, [kubectl](#), which allows you to run commands against Kubernetes clusters e.g. deploy applications, inspect resources, view logs, etc.

1. Download and set executable:

```
curl -LO https://storage.googleapis.com/kubernetes-release/release/$(curl -s https://storage.googleapis.com/kubernetes-release/release/stable.txt)/bin/darwin/amd64/kubectl \
&& chmod +x ./kubectl
```

2. Move the binary to your PATH:

```
sudo mv ./kubectl /usr/local/bin/kubectl
```

3. Test to ensure the version you installed is up-to-date:

```
kubectl version
```

Full instructions are at <https://kubernetes.io/docs/tasks/tools/install-kubectl/>

## Install Minikube

Now let's install [Minikube](#), a tool that runs a single-node Kubernetes cluster in a virtual machine on your laptop.

1. Download and set executable:

```
curl -Lo minikube https://storage.googleapis.com/minikube/releases/latest/minikube-darwin-amd64 \
&& chmod +x minikube
```

2. Move the binary to your PATH:

```
sudo mv minikube /usr/local/bin
```

Full instructions are available at <https://kubernetes.io/docs/tasks/tools/install-minikube/>

## Start Minikube

1. Start Minikube and create a cluster:

```
minikube start
```

The output will be similar to this:

```
minikube v1.8.1 on Darwin 10.14.6
Automatically selected the hyperkit driver
Downloading VM boot image ...
Creating hyperkit VM (CPUs=2, Memory=3072MB, Disk=20000MB) ...
Preparing Kubernetes v1.17.3 on Docker 19.03.6 ...
Launching Kubernetes ...
Enabling addons: default-storageclass, storage-provisioner
Waiting for cluster to come online ...
Done! kubectl is now configured to use "minikube"
```

2. Install [Ingress on Minikube](#) for external access:

```
minikube addons enable ingress
```

## Test Minikube Installation

1. Run a sample HTTP application

```
kubectl create deployment hello-minikube --image=k8s.gcr.io/echoserver:1.10
```

2. Expose the service so that external connections can be made

```
kubectl expose deployment hello-minikube --type=NodePort --port=8080
```

3. Inspect the pod

```
kubectl get pod
```

4. Once the STATUS is Running, test the service using [curl](#)

```
curl $(minikube service hello-minikube --url)
```

5. Delete the service and deployment

```
kubectl delete services hello-minikube  
kubectl delete deployment hello-minikube
```

Full instructions are available at <https://kubernetes.io/docs/setup/minikube/#quickstart>

## Deploy MySQL on Kubernetes

To deploy a MySQL database image, we'll use an example YAML file provided in the kubernetes website [k8s.io](#).

1. Create persistent storage using [PersistentVolume](#) and [PersistentVolumeClaim](#)

```
kubectl apply -f https://k8s.io/examples/application/mysql/mysql-pv.yaml
```

2. Deploy the MySQL image

```
kubectl apply -f https://k8s.io/examples/application/mysql/mysql-deployment.yaml
```

3. Inspect the deployment

```
kubectl describe deployment mysql  
kubectl get pods -l app=mysql  
kubectl describe pvc mysql-pv-claim
```

4. Run MySQL client to test

```
kubect1 run -it --rm --image=mysql:5.6 --restart=Never mysql-client -- mysql -h mysql -ppassword
```

Full instructions are available at <https://kubernetes.io/docs/tasks/run-application/run-single-instance-stateful-application/>

## Deploy Joget on Kubernetes

Once the MySQL database is running, let's run a [Docker image for Joget Enterprise](#) that connects to that MySQL service.

1. Deploy joget image using an example YAML file. Download the contents of joget-dx7-tomcat9-deployment.yaml into a file with the same name and run kubect1.



joget-dx7-tomca...deployment.yaml

```
kubect1 apply -f joget-dx7-tomcat9-deployment.yaml
```

2. Inspect the deployment


```
kubect1 describe deployment joget-dx7-tomcat9  
kubect1 get pods -l app=joget-dx7-tomcat9
```

3. Once the STATUS is Running, get the URL for the service

```
minikube service joget-dx7-tomcat9 --url
```


4. Access the URL in a browser in the path to access the Joget App Center e.g. <http://192.168.99.100:32496/>

5. Access the Joget DX URL and in the Database Setup page, key in the database configuration of the database deployed earlier, and click on the Save button.

 **JOGET DX SETUP**


### DATABASE SETUP

No database configuration was detected, so please configure your database settings below.  
Please ensure that the database server is installed and running first. [More Information](#)

Database Type	MySQL
Database Host	mysql
Database Port	3306
Database Name	jwdb
Database User	root
Database Password	..... 
Include Sample Apps	<input checked="" type="checkbox"/>
Include Sample Users	<input checked="" type="checkbox"/>

Save

- a. Database Type: MySQL
- b. Database Host: the service name of the database e.g. mysql
- c. Database Port: 3306
- d. Database Name: jwdb
- e. Database User: root
- f. Database Password: the configured password e.g. password



You now have a running installation of Joget, and you'll be able to [visually build a full app in 30 minutes without coding](#).

## Scale Joget Deployment

Now we can demonstrate how Kubernetes can be used to manually increase and decrease the number of Pods running.

1. Scale the deployment to 2 pods (called replicas)

```
kubectl scale --replicas=2 deployment joget-dx7-tomcat9
```

2. Examine the running pods, and you should see 2 pods running Joget

```
kubectl get pods
NAME                                READY STATUS RESTARTS  AGE
joget-dx7-tomcat9-7d879db895-c9sbb  1/1 Running 0         27s
joget-dx7-tomcat9-7d879db895-wpnsf  1/1 Running 0         37m
mysql-7b9b7999d8-1k9gq             1/1 Running 0         65m
```

3. Scale the deployment down to 1 pod

```
kubectl scale --replicas=1 deployment joget-dx7-tomcat9
```

4. Examine the running pods, and you should now see 1 pod running Joget.

```
kubectl get pods
```

## Common Errors

### How to Validate Your Installation System Key

1. Launch Joget from your browser and login as admin.
2. Navigate to Settings > License.
3. Your system key should contains dashes as the following.

**LICENSE**

System Key

28817053-b48f-4e92-97aa-0c424ab776e

Admin Username

Admin Password

License

Submit

**UNLICENSED**

Name	System Key
joget-6c9cb8bb67-m84sh	4991287842370cac45c690ccbe6d2e
joget-6c9cb8bb67-fc9wq	a3118b7d95a952d82493fa2b7bcd21

If the system key matches any of the nodes listed at the bottom, then it is wrong.

4. If it does not, chances are that you did not assign the service account cluster view permission for Joget to retrieve the deployment info.

Check the logs to look for **"io.kubernetes.client.openapi.ApiException: Forbidden"**.

```
ERROR 14 Apr 2021 12:35:03 org.joget.apps.license.LicenseManager - Forbidden
io.kubernetes.client.openapi.ApiException: Forbidden
    at io.kubernetes.client.openapi.ApiClient.handleResponse(ApiClient.java:971)
    at io.kubernetes.client.openapi.ApiClient.execute(ApiClient.java:883)
    at io.kubernetes.client.openapi.apis.CoreV1Api.readNamespacedPodWithHttpInfo(CoreV1Api.java:45995)
    at io.kubernetes.client.openapi.apis.CoreV1Api.readNamespacedPod(CoreV1Api.java:45965)
    at org.joget.apps.license.LicenseManager.generateK8sDeploymentSystemKey(LicenseManager.java:934)
    at org.joget.apps.license.LicenseManager.generateClusterSystemKey(LicenseManager.java:854)
    at org.joget.apps.license.LicenseManager.checkClusterLicense(LicenseManager.java:1055)
    at org.joget.apps.license.LicenseManager$4.run(LicenseManager.java:1029)
```

5. The **"io.kubernetes.client.openapi.ApiException: Forbidden"** exception shows this permission is missing. You may need to change namespace value if they are not using the default namespace. Once that you have resolved this error, then only the system key would change back to using the deployment ID.
6. The following in the YAML file.

```
apiVersion: rbac.authorization.k8s.io/v1
kind: ClusterRoleBinding
metadata:
  name: joget-dx7-tomcat9-clusterrolebinding
roleRef:
  apiGroup: rbac.authorization.k8s.io
  kind: ClusterRole
  name: view
subjects:
  - kind: ServiceAccount
    name: default
    namespace: default
```

is to assign the service account cluster view permission to retrieve Deployment info for the license system key.