

AuditTrailManager

- [Description](#)
- [Code Sample](#)
- [Methods](#)
 - [addAuditTrail](#)
 - [addAuditTrail](#)
 - [clean](#)

Description

- org.joget.apps.app.service.AuditTrailManager
- Under wflow-core module
- Service methods used to add audit trail and trigger audit trail event.

Code Sample

```
import org.joget.apps.app.service.AppUtil;
import org.joget.apps.app.service.AuditTrailManager;

AuditTrailManager auditTrailManager = (AuditTrailManager) AppUtil.getApplicationContext().getBean(
("auditTrailManager"));

String clazz = "org.joget.sample.SamplePlugin";
String method = "SayHello";
String message = "SayHello called by user (admin)";
Class[] paramTypes = new Class[] {String.class};
Object[] args = new Object[] {"admin"};
Object returnObject = null;

//add audit trail and trigger an audit trail event
auditTrailManager.addAuditTrail(clazz, method, message, paramTypes, args, returnObject);
```

Methods

[addAuditTrail](#)

```
public void addAuditTrail(java.lang.String clazz, java.lang.String method, java.lang.String message)
```

Simplify method to add audit trail and trigger audit trail event without passing method parameters and returned object

[addAuditTrail](#)

```
public void addAuditTrail(java.lang.String clazz, java.lang.String method, java.lang.String message, java.
lang.Class[] paramTypes, java.lang.Object[] args, java.lang.Object returnObject)
```

Method to add audit trail and trigger audit trail event

[clean](#)

```
public void clean()
```

Used by system to clear audit trail plugin caches