

# Subreport

- [Introduction](#)
- [Download Demo App](#)

## Introduction

**Subreport** enables one to show another report within a report, and it has no limit on the depth that it can show.

Edit Subreport

ID

e\_

10E23B28-6312-482F-711F-3BC2A0863956

Selector Class

Report \*

Data Store

Report Parameters

NAME *	VALUE	DEFAULT VALUE

Figure 1: Subreport Properties

Name	Description								
Report	Report to be loaded as subreport.								
Data Store	Please see <a href="#">List Data Store</a> for available data store to use.								
Report Parameters	<div>When <b>Data Store</b> is <b>not set</b>, this option will show up.</div> <div>If the subreport has dynamic values that depends on report parameters, you can map the values here.</div> <table><tr><th>Sub-element</th><th>Description</th></tr><tr><td>Name</td><td>Parameter name.</td></tr><tr><td>Value</td><td>Parameter value.</td></tr><tr><td>Default Value</td><td>Default parameter value if there is no value set.</td></tr></table>	Sub-element	Description	Name	Parameter name.	Value	Parameter value.	Default Value	Default parameter value if there is no value set.
Sub-element	Description								
Name	Parameter name.								
Value	Parameter value.								
Default Value	Default parameter value if there is no value set.								

Report Parameters

NAME *	VALUE	DEFAULT VALUE

Figure 2: Subreport - Report Parameters Properties

When Report is set to any of the available [List Data Store](#), this tab will be displayed.

Name	Description	
Report Parameters	<b>Sub-element</b>	<b>Description</b>
	Name	Parameter name.
	Field	Field value retrieved from binder to set as the parameter value.  Available fields are based on the binder selected.
	Default Value	Default parameter value if there is no value set.

Download Demo App

- [APP\\_report\\_builder\\_sub\\_report\\_dx\\_kb.jwa](#)

Do also download and [install](#) the latest [Report Builder Addon For DX](#) plugin from [Joget Marketplace](#) for the above demo app to work.